



## NCHSAA Virtually Monitored Concussion Return to Play Protocol

Circumstances may arise when there is no LHCP or first responder readily available to supervise a student-athlete's Concussion Return to Play (RTP) Protocol (in-person). In those instances, the NCHSAA Virtually Monitored Concussion RTP V-Monitored Concussion RTP Protocol offers a reasonable alternative to ensure safe progression of a student-athlete through the concussion RTP protocol.

- The NCHSAA Concussion Return to Play (RTP) Protocol (in-person) OR the NCHSAA Virtually Monitored Concussion RTP is **REQUIRED** to be completed in its entirety for any concussed student-athlete (SA) before they are released to resume participation in athletics. A step-by-step progression of physical and cognitive exertion is widely accepted as the appropriate approach to ensure a concussion has resolved, and that a student-athlete can return to athletics safely. Both the NCHSAA Concussion (RTP) Protocol and NCHSAA Virtually Monitored Concussion (RTP) Protocol have been designed using this step-by-step progression.
- The NCHSAA Virtually Monitored Concussion (RTP) Protocol can be monitored by any of the following LHCP: Licensed Physician, Licensed Athletic Trainer, Licensed Physician Assistant, Licensed Nurse Practitioner or a Licensed Neuropsychologist.
- The LHCP may elect to use a combination of in-person monitoring and virtual monitoring to complete the required stages within the RTP progression. Both in-person and virtual stage monitoring outcomes can be documented on this form.
- After monitored completion of each stage without provocation/recurrence of signs and/or symptoms, a student- athlete is allowed to advance to the next stage of activity. The length of time for each stage is at least 24hours. A separate stage specific in-person/virtual consult checklist is to be completed for each RTP stage.
- An adult observer must be present with the SA during each stage to provide consent and assist with emergency care if needed.

Stage	Activity	Objective	Stage Specific Virtual Consult Checklist Completed/ In-Person Monitored
1	20-30 min of cardio activity: walking, stationary bike	Perceived intensity/exertion: Light Activity	<input type="checkbox"/> YES    DATE _____ <input type="checkbox"/> YES    In-Person Monitored
2	30 min of cardio activity: jogging at medium pace. Body weight resistance exercise (e.g. Push-ups, lunge walks) with minimum head rotation x25 each.	Perceived intensity/exertion: Moderate Activity	<input type="checkbox"/> YES    DATE _____ <input type="checkbox"/> YES    In-Person Monitored
3	30 min of cardio activity: running at fast pace, incorporate intervals. Increase repetitions of body weight resistance exercise (e.g. Sit-ups, push-ups, lunge walks) x 50 each. Sport specific agility drills in three planes of movement.	Perceived intensity/exertion: Hard activity, changes of direction with increased head and eye movement	<input type="checkbox"/> YES    DATE _____ <input type="checkbox"/> YES    In-Person Monitored
4	Participate in non-contact practice drills. Warm-up and stretch x10 min. Intense, non-contact, sport specific agility drills x 30-60 minutes.	Perceived intensity/exertion: High/Maximum Effort Activity	<input type="checkbox"/> YES    DATE _____ <input type="checkbox"/> YES    In-Person Monitored
5	Participate in full practice. If in a contact sport, controlled contact practice allowed.		<input type="checkbox"/> YES    DATE _____ <input type="checkbox"/> YES    In-Person Monitored
Final LHCP Virtual Visit	The LHCP overseeing the SA's care will review RTP in its entirety (including Stage 5). If any concussion signs or symptoms occur during stage 5, the SA is required to return to the treating LHCP. <u>The Virtually Monitored RTP Packet and the RTP Form MUST be signed by supervising LHCP before the SA is allowed to resume full participation in athletics.</u>		<input type="checkbox"/> YES    DATE _____ <input type="checkbox"/> YES    In-Person Monitored

**The LHCP who monitored the student athlete's RTP Protocol MUST sign and date below when stage 5 is successfully completed.**

By signing below, I attest that I have monitored the above-named student-athlete's return to play protocol through stage 5.

\_\_\_\_\_  
Signature of Licensed Physician, Licensed Athletic trainer, Licensed Physician Assistant,  
Licensed Nurse Practitioner, Licensed Neuropsychologist (please circle)

\_\_\_\_\_  
Date

\_\_\_\_\_  
Please print name



## NCHSAA Virtually Monitored Concussion RTP Protocol - VIRTUAL CONSULT CHECKLIST – STAGE 1

STUDENT-ATHLETE'S NAME: \_\_\_\_\_ DOB: \_\_\_\_\_

ADULT OBSERVER: \_\_\_\_\_ DATE: \_\_\_\_\_ TIME: \_\_\_\_\_

MONITORED BY: \_\_\_\_\_ (circle one) MD/DO, LAT, PA, NP Licensed Neuropsychologist

- ☐ Conducted through a video telemedicine source with double identification verified. Athlete & adult voice understanding and consent to proceed with exertional stage via interactive audio and video telemedicine source.
- ☐ Review of athlete's overall function with activities of daily living (cognitive and physical): \_\_\_\_\_ % normal

Comment:

☐ **Pre-Exercise Symptom Questionnaire**

- Review and report symptoms the athlete is experiencing in the last 24 hours BEFORE starting RTP stage
- If athlete reports symptoms BEFORE or DURING exercise, session should NOT continue. Notification of and consultation with supervising physician is recommended.

	Yes	No		Yes	No		Yes	No
Headache			Sensitivity to noise			Drowsiness		
"Pressure in head"			Feeling slowed down			Trouble falling asleep		
Neck Pain			Feeling "like in a fog"			More emotional		
Nausea or vomiting			"Don't feel right"			Irritability		
Dizziness			Difficulty concentrating			Sadness		
Blurred vision			Difficulty remembering			Nervous or anxious		
Balance problems			Fatigue or low energy			Other:		
Sensitivity to light			Confusion					

**Monitored Observation of RTP Stage – Light Activity**

20-30 minutes of cardio activity (walking/stationary bike):

☐ **Post- Exercise Symptom Questionnaire**

- Review and report symptoms the athlete is experiencing AFTER completing RTP stage.
- If athlete reports symptoms AFTER exercise or 24 hours following, notification of and consultation with supervising physician is recommended.

	Yes	No		Yes	No		Yes	No
Headache			Sensitivity to noise			Drowsiness		
"Pressure in head"			Feeling slowed down			Trouble falling asleep		
Neck Pain			Feeling "like in a fog"			More emotional		
Nausea or vomiting			"Don't feel right"			Irritability		
Dizziness			Difficulty concentrating			Sadness		
Blurred vision			Difficulty remembering			Nervous or anxious		
Balance problems			Fatigue or low energy			Comment:		
Sensitivity to light			Confusion					

- ☐ Education on monitoring for red flags
- ☐ Establish plan for next virtually supervised visit – DATE \_\_\_\_\_ TIME \_\_\_\_\_ CONFIRMED BY \_\_\_\_\_



## NCHSAA Virtually Monitored Concussion RTP Protocol - VIRTUAL CONSULT CHECKLIST – STAGE 2

STUDENT-ATHLETE'S NAME: \_\_\_\_\_ DOB: \_\_\_\_\_

ADULT OBSERVER: \_\_\_\_\_ DATE: \_\_\_\_\_ TIME: \_\_\_\_\_

MONITORED BY: \_\_\_\_\_ (circle one) MD/DO, LAT, PA, NP Licensed Neuropsychologist

- ☐ Conducted through a video telemedicine source with double identification verified. Athlete & adult voice understanding and consent to proceed with exertional stage via interactive audio and video telemedicine source.
- ☐ Review of athlete's overall function with activities of daily living (cognitive and physical): \_\_\_\_\_% normal

Comment:

☐ **Pre-Exercise Symptom Questionnaire**

- Review and report symptoms the athlete is experiencing in the last 24 hours BEFORE starting RTP stage
- If athlete reports symptoms BEFORE or DURING exercise, session should NOT continue. Notification of and consultation with supervising physician is recommended.

	Yes	No		Yes	No		Yes	No
Headache			Sensitivity to noise			Drowsiness		
"Pressure in head"			Feeling slowed down			Trouble falling asleep		
Neck Pain			Feeling "like in a fog"			More emotional		
Nausea or vomiting			"Don't feel right"			Irritability		
Dizziness			Difficulty concentrating			Sadness		
Blurred vision			Difficulty remembering			Nervous or anxious		
Balance problems			Fatigue or low energy			Other:		
Sensitivity to light			Confusion					

☐ **Monitored Observation of RTP Stage – Moderate Activity**

30 min of cardio activity (jogging at medium pace):

Body weight resistance exercise with minimum head rotation (e.g. Push-ups, lunge walks):

☐ **Post- Exercise Symptom Questionnaire**

- Review and report symptoms the athlete is experiencing AFTER completing RTP stage.
- If athlete reports symptoms AFTER exercise or 24 hours following, notification of and consultation with supervising physician is recommended.

	Yes	No		Yes	No		Yes	No
Headache			Sensitivity to noise			Drowsiness		
"Pressure in head"			Feeling slowed down			Trouble falling asleep		
Neck Pain			Feeling "like in a fog"			More emotional		
Nausea or vomiting			"Don't feel right"			Irritability		
Dizziness			Difficulty concentrating			Sadness		
Blurred vision			Difficulty remembering			Nervous or anxious		
Balance problems			Fatigue or low energy			Comment:		
Sensitivity to light			Confusion					

- ☐ Education on monitoring for red flags
- ☐ Establish plan for next virtually supervised visit – DATE \_\_\_\_\_ TIME \_\_\_\_\_ CONFIRMED BY \_\_\_\_\_



### NCHSAA Virtually Monitored Concussion RTP Protocol - VIRTUAL CONSULT CHECKLIST – STAGE 3

STUDENT-ATHLETE'S NAME: \_\_\_\_\_ DOB: \_\_\_\_\_

ADULT OBSERVER: \_\_\_\_\_ DATE: \_\_\_\_\_ TIME: \_\_\_\_\_

MONITORED BY: \_\_\_\_\_ (circle one) MD/DO, LAT, PA, NP Licensed Neuropsychologist

- ☐ Conducted through a video telemedicine source with double identification verified. Athlete & adult voice understanding and consent to proceed with exertional stage via interactive audio and video telemedicine source.
- ☐ Review of athlete's overall function with activities of daily living (cognitive and physical): \_\_\_\_\_% normal

Comment:

☐ **Pre-Exercise Symptom Questionnaire**

- Review and report symptoms the athlete is experiencing in the last 24 hours BEFORE starting RTP stage
- If athlete reports symptoms BEFORE or DURING exercise, session should NOT continue. Notification of and consultation with supervising physician is recommended.

	Yes	No		Yes	No		Yes	No
Headache			Sensitivity to noise			Drowsiness		
"Pressure in head"			Feeling slowed down			Trouble falling asleep		
Neck Pain			Feeling "like in a fog"			More emotional		
Nausea or vomiting			"Don't feel right"			Irritability		
Dizziness			Difficulty concentrating			Sadness		
Blurred vision			Difficulty remembering			Nervous or anxious		
Balance problems			Fatigue or low energy			Other:		
Sensitivity to light			Confusion					

- ☐ **Monitored Observation of RTP Stage** - Hard activity, changes of direction with increased head and eye movement

30 min of cardio activity: (running at fast pace, incorporate intervals)

Increase repetitions of body weight resistance exercise (e.g. Sit-ups, push-ups, lunge walks):

Sport specific agility drills in three planes of movement:

☐ **Post- Exercise Symptom Questionnaire**

- Review and report symptoms the athlete is experiencing AFTER completing RTP stage.
- If athlete reports symptoms AFTER exercise or 24 hours following, notification of and consultation with supervising physician is recommended.

	Yes	No		Yes	No		Yes	No
Headache			Sensitivity to noise			Drowsiness		
"Pressure in head"			Feeling slowed down			Trouble falling asleep		
Neck Pain			Feeling "like in a fog"			More emotional		
Nausea or vomiting			"Don't feel right"			Irritability		
Dizziness			Difficulty concentrating			Sadness		
Blurred vision			Difficulty remembering			Nervous or anxious		
Balance problems			Fatigue or low energy			Other:		
Sensitivity to light			Confusion					

- ☐ Education on monitoring for red flags

- ☐ Establish plan for next virtually supervised visit – DATE \_\_\_\_\_ TIME \_\_\_\_\_ CONFIRMED BY \_\_\_\_\_



## NCHSAA Virtually Monitored Concussion RTP Protocol - VIRTUAL CONSULT CHECKLIST – STAGE 4

STUDENT-ATHLETE'S NAME: \_\_\_\_\_ DOB: \_\_\_\_\_

ADULT OBSERVER: \_\_\_\_\_ DATE: \_\_\_\_\_ TIME: \_\_\_\_\_

MONITORED BY: \_\_\_\_\_ (circle one) MD/DO, LAT, PA, NP Licensed Neuropsychologist

- ☐ Conducted through a video telemedicine source with double identification verified. Athlete & adult voice understanding and consent to proceed with exertional stage via interactive audio and video telemedicine source.
- ☐ Review of athlete's overall function with activities of daily living (cognitive and physical): \_\_\_\_\_% normal

Comment:

☐ **Pre-Exercise Symptom Questionnaire**

- Review and report symptoms the athlete is experiencing in the last 24 hours BEFORE starting RTP stage
- If athlete reports symptoms BEFORE or DURING exercise, session should NOT continue. Notification of and consultation with supervising physician is recommended.

	Yes	No		Yes	No		Yes	No
Headache			Sensitivity to noise			Drowsiness		
"Pressure in head"			Feeling slowed down			Trouble falling asleep		
Neck Pain			Feeling "like in a fog"			More emotional		
Nausea or vomiting			"Don't feel right"			Irritability		
Dizziness			Difficulty concentrating			Sadness		
Blurred vision			Difficulty remembering			Nervous or anxious		
Balance problems			Fatigue or low energy			Other:		
Sensitivity to light			Confusion					

☐ **Monitored Observation of RTP Stage – High/Maximum Effort Activity**

Warm-up and stretch x10 min:

Participate in non-contact practice drills. Intense, non-contact, sport specific agility drills x 30-60 minutes:

**Post- Exercise Symptom Questionnaire**

- Review and report symptoms the athlete is experiencing AFTER completing RTP stage.
- If athlete reports symptoms AFTER exercise or 24 hours following, notification of and consultation with supervising physician is recommended.

	Yes	No		Yes	No		Yes	No
Headache			Sensitivity to noise			Drowsiness		
"Pressure in head"			Feeling slowed down			Trouble falling asleep		
Neck Pain			Feeling "like in a fog"			More emotional		
Nausea or vomiting			"Don't feel right"			Irritability		
Dizziness			Difficulty concentrating			Sadness		
Blurred vision			Difficulty remembering			Nervous or anxious		
Balance problems			Fatigue or low energy			Comment:		
Sensitivity to light			Confusion					

- ☐ Education on monitoring for red flags
- ☐ Establish plan for next virtually supervised visit – DATE \_\_\_\_\_ TIME \_\_\_\_\_ CONFIRMED BY \_\_\_\_\_



## NCHSAA Virtually Monitored Concussion RTP Protocol - VIRTUAL CONSULT CHECKLIST – STAGE 5

STUDENT-ATHLETE'S NAME: \_\_\_\_\_ DOB: \_\_\_\_\_

ADULT OBSERVER: \_\_\_\_\_ DATE: \_\_\_\_\_ TIME: \_\_\_\_\_

MONITORED BY: \_\_\_\_\_ (circle one) MD/DO, LAT, PA, NP Licensed Neuropsychologist

- ☐ Conducted through a video telemedicine source with double identification verified. Athlete & adult voice understanding and consent to proceed with exertional stage via interactive audio and video telemedicine source.
- ☐ Review of athlete's overall function with activities of daily living (cognitive and physical): \_\_\_\_\_% normal

Comment:

☐ **Pre-Exercise Symptom Questionnaire**

- Review and report symptoms the athlete is experiencing in the last 24 hours BEFORE starting RTP stage
- If athlete reports symptoms BEFORE or DURING exercise, session should NOT continue. Notification of and consultation with supervising physician is recommended.

	Yes	No		Yes	No		Yes	No
Headache			Sensitivity to noise			Drowsiness		
"Pressure in head"			Feeling slowed down			Trouble falling asleep		
Neck Pain			Feeling "like in a fog"			More emotional		
Nausea or vomiting			"Don't feel right"			Irritability		
Dizziness			Difficulty concentrating			Sadness		
Blurred vision			Difficulty remembering			Nervous or anxious		
Balance problems			Fatigue or low energy			Other:		
Sensitivity to light			Confusion					

- ☐ **Monitored Observation of RTP Stage 5** – Participate in full practice. SPORT: \_\_\_\_\_
- ☐ A "Stage 5 equivalent" workout that incorporates high intensity, high heart rate activity that challenges the vestibular, visual, and cognitive systems can be substituted when there is not an opportunity to participate in a team-based practice.

Please describe in detail the practice/workout activities that the athlete participated in.

**Post- Exercise Symptom Questionnaire**

- Review and report symptoms the athlete is experiencing AFTER completing RTP stage.

	Yes	No		Yes	No		Yes	No
Headache			Sensitivity to noise			Drowsiness		
"Pressure in head"			Feeling slowed down			Trouble falling asleep		
Neck Pain			Feeling "like in a fog"			More emotional		
Nausea or vomiting			"Don't feel right"			Irritability		
Dizziness			Difficulty concentrating			Sadness		
Blurred vision			Difficulty remembering			Nervous or anxious		
Balance problems			Fatigue or low energy			Comment:		
Sensitivity to light			Confusion					

\*If athlete reports symptoms AFTER exercise or 24 hours following, notification of supervising physician is recommended.



**NCHSAA Virtually Monitored Concussion RTP Protocol – FINAL VIRTUAL CONSULT CHECKLIST**  
(To be completed by supervising LHCP)

STUDENT-ATHLETE'S NAME: \_\_\_\_\_ DOB: \_\_\_\_\_

ADULT OBSERVER: \_\_\_\_\_ DATE: \_\_\_\_\_ TIME: \_\_\_\_\_

MONITORED BY: \_\_\_\_\_ (circle one) MD/DO, LAT, PA, NP Licensed Neuropsychologist

- ☐ Conducted through a video telemedicine source with double identification verified. Athlete & adult voice understanding and consent to proceed with visit via interactive audio and video telemedicine source.
- ☐ Review of athlete's overall function with activities of daily living (cognitive and physical): \_\_\_\_\_% normal

Comment:

☐ **Symptom Questionnaire**

	Yes	No		Yes	No		Yes	No
Headache			Sensitivity to noise			Drowsiness		
"Pressure in head"			Feeling slowed down			Trouble falling asleep		
Neck Pain			Feeling "like in a fog"			More emotional		
Nausea or vomiting			"Don't feel right"			Irritability		
Dizziness			Difficulty concentrating			Sadness		
Blurred vision			Difficulty remembering			Nervous or anxious		
Balance problems			Fatigue or low energy			Other:		
Sensitivity to light			Confusion					

- ☐ **Review of RTP Stage 5 – Participate in Full Practice**

Comment:

- ☐ **Additional Comments:**

- ☐ Athlete has successfully completed all 5 stages of the RTP protocol without recurrence of concussion related symptoms.
- ☐ Athlete has returned to pre-injury function level and reports no concussion related clinical signs and symptoms at rest and with cognitive stimulation (schoolwork, reading, computer work).
- ☐ NCSHAA Gfeller-Waller Virtually Monitored RTP Protocol Packet completed and kept on file.
- ☐ The [RETURN TO PLAY FORM: Concussion Medical Clearance Releasing the Student-Athlete to Resume Full Participation in Athletics](#) is completed and kept on file with a copy provided to the student-athlete's parent/legal custodian



# **CONCUSSION RETURN TO PLAY FORM:** **MEDICAL CLEARANCE RELEASING THE** **STUDENT-ATHLETE TO** **RESUME FULL PARTICIPATION IN ATHLETICS**



This form must be signed by one of the following examining Licensed Health Care Providers (LHCP) identified in the Gfeller-Waller Concussion Awareness Act before the student-athlete is allowed to resume full participation in athletics: Licensed Physician (MD/DO), Licensed Athletic Trainer (LAT), Licensed Physician Assistant (PA), Licensed Nurse Practitioner (NP), or Licensed Neuropsychologist. This form must be signed by the student-athlete's parent/legal custodian giving their consent before their child resumes full participation in athletics.

Name of Student-Athlete: \_\_\_\_\_ Sport: \_\_\_\_\_ Male/Female

DOB: \_\_\_\_\_ Date of Injury: \_\_\_\_\_ Date Concussion Diagnosed: \_\_\_\_\_

This is to certify that the above-named student-athlete has been evaluated and treated for a concussion and that the Return to Play Protocol was monitored by:

\_\_\_\_\_ at \_\_\_\_\_.

(Print Name of Person and Credential)

(Print Name of School)

As the examining LHCP, I attest that the above-named student-athlete is now reporting to be completely free of all clinical signs and reports he/she is entirely symptom-free at rest and with both full cognitive and full exertional/physical stress and that the above-named student-athlete has successfully completed the required NCHSAA Concussion Return to Play Protocol through stage 5. By signing below therefore, I give the above-named student-athlete consent to resume full participation in athletics.

**It is critical that the medical professional ultimately releasing this student-athlete to return to athletics after a concussion has appropriate expertise and training in concussion management. The NCHSAA, therefore, **STRONGLY RECOMMENDS** that in concussion cases, Licensed Athletic Trainers, Licensed Physician Assistants, Licensed Nurse Practitioners, consult with their supervising physician before signing this Return To Play Form, as per their respective state statutes.**

Signature of Licensed Physician, Licensed Athletic Trainer, Licensed Physician Assistant,  
Licensed Nurse Practitioner, Licensed Neuropsychologist (Please Circle)

Date

Please Print Name

Please Print Office Address

Phone Number

\*\*\*\*\*

## **Parent/Legal Custodian Consent for Their Child to Resume Full Participation in Athletics**

I am aware that the NCHSAA **REQUIRES** the consent of a child's parent or legal custodian prior to them resuming full participation in athletics after having been evaluated and treated for a concussion. I acknowledge that the Licensed Health Care Provider above has overseen the treatment of my child's concussion and has given their consent for my child to resume full participation in athletics. By signing below, I hereby give my consent for my child to resume full participation in athletics.

Signature of Parent/Legal Custodian

Date

Please Print Name and Relationship to Student-Athlete