


MSHSAA



All concussions are serious.
If you think you have a

CONCUSSION:

- * Don't hide it.
- * Report it.
- * Take time to recover.



It's better to miss one game
than the whole season.

For more information and to order additional materials
free-of-charge, visit: www.cdc.gov/Concussion.



**U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR DISEASE CONTROL AND PREVENTION**

June 2010



Heads Up to Schools: KNOW YOUR CONCUSSION ABCs

Assess
the
situation

Be alert for
signs and
symptoms

Contact a
health care
professional



A Fact Sheet for Parents

What is a concussion?

A concussion is a type of brain injury that changes the way the brain normally works. A concussion is caused by a bump, blow, or jolt to the head. Concussions can also occur from a blow to the body that causes the head and brain to move rapidly back and forth. Even what seems to be a mild bump to the head can be serious.

Concussions can have a more serious effect on a young, developing brain and need to be addressed correctly.

What are the signs and symptoms of a concussion?

You can't see a concussion. Signs and symptoms of concussion can show up right after an injury or may not appear or be noticed until hours or days after the injury. It is important to watch for changes in how your child or teen is acting or feeling, if symptoms are getting worse, or if s/he just "doesn't feel right." Most concussions occur without loss of consciousness.

If your child or teen reports *one or more* of the symptoms of concussion listed below, or if you notice the symptoms yourself, seek medical attention right away. Children and teens are among those at greatest risk for concussion.

SIGNS AND SYMPTOMS OF A CONCUSSION

SIGNS OBSERVED BY PARENTS OR GUARDIANS

- Appears dazed or stunned
- Is confused about events
- Answers questions slowly
- Repeats questions
- Can't recall events *prior* to the hit, bump, or fall
- Can't recall events *after* the hit, bump, or fall
- Loses consciousness (even briefly)
- Shows behavior or personality changes
- Forgets class schedule or assignments

SYMPTOMS REPORTED BY YOUR CHILD OR TEEN

Thinking/Remembering:

- Difficulty thinking clearly
- Difficulty concentrating or remembering
- Feeling more slowed down
- Feeling sluggish, hazy, foggy, or groggy

Physical:

- Headache or "pressure" in head
- Nausea or vomiting
- Balance problems or dizziness
- Fatigue or feeling tired
- Blurry or double vision
- Sensitivity to light or noise
- Numbness or tingling
- Does not "feel right"

Emotional:

- Irritable
- Sad
- More emotional than usual
- Nervous

Sleep*:

- Drowsy
- Sleeps *less* than usual
- Sleeps *more* than usual
- Has trouble falling asleep

**Only ask about sleep symptoms if the injury occurred on a prior day.*

To download this fact sheet in Spanish, please visit: www.cdc.gov/Concussion. Para obtener una copia electrónica de esta hoja de información en español, por favor visite: www.cdc.gov/Concussion.

U.S. Department of Health and Human Services
Centers for Disease Control and Prevention



MSHSAA Concussion Return to Play Form

If diagnosed with a concussion, an athlete must be cleared for progression to activity by an approved healthcare provider, MD/DO/PAC/LAT/ARNP/Neuropsychologist (Emergency Room physician cannot clear for progression).

Athlete's Name: _____ DOB: _____ Date of Injury: _____

THIS RETURN TO PLAY IS BASED ON TODAY'S EVALUATION

Date of Evaluation: _____ Return to School On (Date): _____

The following are the return to physical activities recommendations at the present time:

- Diagnosed with a concussion: Cannot return to physical activity, sport or competition (must be re-evaluated).
- Diagnosed with a concussion: May return to sports participation under the supervision of your school's administration after completing the return to play protocol (see below).
- Not diagnosed with a concussion. Patient has diagnosis of _____ and MAY/MAY NOT return to play at this time.

Medical Office Information (Please Print/Stamp):

Evaluator's Name: _____ Office Phone: _____

Evaluator's Signature: _____

Evaluator's Address: _____

Return to Play (RTP) Procedures After a Concussion

Return to activity and play is a medical decision. Progression is individualized, must be closely supervised according to the school's policies and procedures, and will be determined on a case-by-case basis. Factors that may affect the rate of progression include: previous history of concussion, duration and type of symptoms, age of the athlete, and sport/activity in which the athlete participates. An athlete with a prior history of concussion, one who has had an extended duration of symptoms, or one who is participating in a collision or contact sport may be progressed more slowly as determined by the healthcare provider who has evaluated the athlete.

After the student has not experienced symptoms attributable to the concussion for a minimum of 24 hours and has returned to school on a full-time basis (if school is in session), the stepwise progression below shall be followed:

- Step 1:** Light cardiovascular exercise.
- Step 2:** Running in the gym or on the field. No helmet or other equipment.
- Step 3:** Non-contact training drills in full equipment. Weight-training can begin.
- Step 4:** Full, normal practice or training (a walk-through practice does not count as a full, normal practice).
- Step 5:** **Full participation.** Must be cleared by MD/DO/PAC/LAT/ARNP/Neuropsychologist before returning to play.

The athlete should spend a minimum of one day at each step before advancing to the next. If concussion symptoms return with any step, the athlete must stop the activity and the treating healthcare provider must be contacted. Depending upon the specific type and severity of the symptoms, the athlete may be told to rest for 24 hours and then resume activity at a level one step below where he or she was at when the symptoms returned.

Return to Play Protocol (Steps 1-4) Completed (Date/Signature): _____

Cleared for Return to Play (Step 5) by: _____ **Date:** _____

May be advanced back to competition after phone conversation with the healthcare professional that evaluated the athlete (MD/DO/PAC/LAT/ARNP/Neuropsychologist) and documented above.

This form is adapted from the Acute Concussion Evaluation (ACE) care plan on the CDC website (www.cdc.gov/injury). All medical providers are encouraged to review this site if they have questions regarding the latest information on the evaluation and care of the scholastic athlete following a concussion injury.

HEADS*UP

CONCUSSION

IN HIGH SCHOOL SPORTS

A FACT SHEET FOR **ATHLETES**

What is a concussion?

A concussion is a brain injury that:

- Is caused by a bump, blow, or jolt to the head or body.
- Can change the way your brain normally works.
- Can occur during practices or games in any sport or recreational activity.
- Can happen even if you haven't been knocked out.
- Can be serious even if you've just been "dinged" or "had your bell rung."

All concussions are serious. A concussion can affect your ability to do schoolwork and other activities (such as playing video games, working on a computer, studying, driving, or exercising). Most people with a concussion get better, but it is important to give your brain time to heal.

What are the symptoms of a concussion?

You can't see a concussion, but you might notice **one or more** of the symptoms listed below or that you "don't feel right" soon after, a few days after, or even weeks after the injury.

- Headache or "pressure" in head
- Nausea or vomiting
- Balance problems or dizziness
- Double or blurry vision
- Bothered by light or noise
- Feeling sluggish, hazy, foggy, or groggy
- Difficulty paying attention
- Memory problems
- Confusion

What should I do if I think I have a concussion?

- **Tell your coaches and your parents.** Never ignore a bump or blow to the head even if you feel fine. Also, tell your coach right away if you think you have a concussion or if one of your teammates might have a concussion.
- **Get a medical check-up.** A doctor or other health care professional can tell if you have a concussion and when it is OK to return to play.
- **Give yourself time to get better.** If you have a concussion, your brain needs time to heal. While your brain is still healing, you are much more likely to have another concussion. Repeat concussions can increase the time it takes for you to recover and may cause more damage to your brain. It is important to rest and not return to play until you get the OK from your health care professional that you are symptom-free.

How can I prevent a concussion?

Every sport is different, but there are steps you can take to protect yourself.

- Use the proper sports equipment, including personal protective equipment. In order for equipment to protect you, it must be:
 - The right equipment for the game, position, or activity
 - Worn correctly and the correct size and fit
 - Used every time you play or practice
- Follow your coach's rules for safety and the rules of the sport.
- Practice good sportsmanship at all times.

**If you think you have a concussion:
Don't hide it. Report it. Take time to recover.**

It's better to miss one game than the whole season.

For more information and to order additional materials **free-of-charge**, visit: www.cdc.gov/Concussion.

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR DISEASE CONTROL AND PREVENTION



Return to Play (RTP) Procedures After a Concussion

1. Return to activity and play is a medical decision. The athlete must meet all of the following criteria in order to progress to activity:

Asymptomatic at rest and with exertion (including mental exertion in school) AND have written clearance from their primary care provider or concussion specialist (athlete must be cleared for progression to activity by a physician other than an Emergency Room physician, if diagnosed with a concussion).
2. Once the above criteria are met, the athlete will be progressed back to full activity following the step-wise process detailed below. (This progression must be closely supervised by a Certified Athletic Trainer. If your school does not have an athletic trainer, then the coach must have a very specific plan to follow as directed by the athlete's physician).
3. Progression is individualized, and will be determined on a case by case basis. Factors that may affect the rate of progression include: previous history of concussion, duration and type of symptoms, age of the athlete, and sport/activity in which the athlete participates. An athlete with a prior history of concussion, one who has had an extended duration of symptoms, or one who is participating in a collision or contact sport may be progressed more slowly.
4. Stepwise progression as described below:
 - Step 1:** Complete cognitive rest. This may include staying home from school or limiting school hours (and studying) for several days. Activities requiring concentration and attention may worsen symptoms and delay recovery.
 - Step 2:** Return to school full-time.
 - Step 3:** Light exercise. This step cannot begin until the athlete is no longer having concussion symptoms and is cleared by a physician for further activity. At this point the athlete may begin walking or riding an exercise bike. No weight-lifting.
 - Step 4:** Running in the gym or on the field. No helmet or other equipment.
 - Step 5:** Non-contact training drills in full equipment. Weight-training can begin.
 - Step 6:** Full contact practice or training.
 - Step 7:** Play in game. Must be cleared by physician before returning to play.
 - The athlete should spend 1 to 2 days at each step before advancing to the next. If post-concussion symptoms occur at any step, the athlete must stop the activity and the treating physician must be contacted. Depending upon the specific type and severity of the symptoms, the athlete may be told to rest for 24 hours and then resume activity at a level one step below where he or she was at when the symptoms occurred.